



**Wyeth Research**  
401 North Middletown Road  
BH 21-127  
Pearl River, NY 10965

March 31, 2005

Mr. John Becher  
Centers for Disease Control/Drug Service, D-09  
1600 Clifton Road  
Atlanta, GA 30333

COL John D. Grabenstein, RPh, Ph.D.  
Deputy Director for Military Vaccines  
U.S. Army Medical Command  
5111 Leesburg Pike (Suite 401)  
Falls Church, VA 22041-3258

Re: STN 101106/5062–Smallpox Vaccine, Dryvax®  
Extension of Dating

Dear Mr. Becher and COL Grabenstein:

Please note that Wyeth received approval on March 31, 2005 for BLA supplement 101106/5062 for extension of dating for the following lots of Smallpox Vaccine Dryvax® kits:

<b>Packaged Lot Number</b>	<b>Current Expiration Date</b>	<b>New Expiration Date</b>
4030013	March 2005	June 2005
4030014	March 2005	June 2005
4020076	April 2005	June 2005
4020077	April 2005	June 2005
4020075	May 2005	June 2005
4030020	May 2005	June 2005

**Wyeth**

Please note that the storage period of the vaccine after reconstitution with diluent continues to be 90 days.

Sincerely yours,

A handwritten signature in cursive script, appearing to read "Dennis J. Foley".

Dennis J. Foley, Ph.D.  
DJF:jm

cc: D. Staten (CBER)  
D. Yeskey (CDC)